

Accessibility Statement for Seattle Menopause

This is an accessibility statement from Seattle Menopause Medicine.

Measures to support accessibility

Seattle Menopause Medicine takes the following measures to ensure accessibility of Seattle Menopause:

- Include accessibility throughout our internal policies.

Conformance status

The [Web Content Accessibility Guidelines \(WCAG\)](#) defines requirements for designers and developers to improve accessibility for people with disabilities. It defines three levels of conformance: Level A, Level AA, and Level AAA. Seattle Menopause is fully conformant with WCAG 2.1 level AA. Fully conformant means that the content fully conforms to the accessibility standard without any exceptions.

Feedback

We welcome your feedback on the accessibility of Seattle Menopause. Please let us know if you encounter accessibility barriers on Seattle Menopause:

- E-mail: admin@mdmenopause.com

Technical specifications

Accessibility of Seattle Menopause relies on the following technologies to work with the particular combination of web browser and any assistive technologies or plugins installed on your computer:

- HTML

These technologies are relied upon for conformance with the accessibility standards used.

Assessment approach

Seattle Menopause Medicine assessed the accessibility of Seattle Menopause by the following approaches:

- Self-evaluation

Date

This statement was created on 8 December 2023 using the [W3C Accessibility Statement Generator Tool](#).